

## References

### Sensory Modulation Approaches to Mental Health Interventions in Adults and Adolescents Updated 1/23/2022

Note: References in blue/bold are highlighted in the lectures and are key references that would be helpful to share with staff when implementing sensory approaches to treatment or that provide useful suggestions for the implementation of sensory modulation interventions.

Abernethy, H. (2010). The assessment and treatment of sensory defensiveness in adult mental health: A literature review. *British Journal of Occupational Therapy*, 73 (5), 210-218.

**Adams-Leask, K., Varona, L., Dua, C. Baldock, M., Muir-Cochrane, E. (2018). The benefits of sensory modulation on levels of distress for consumers in a mental health emergency setting. *Australian Psychiatry*, 26 (5), 514-519.**

Allen, C.K., Austin, S.L., David, S. K., Earhart, C. A. Earhart, McCraith, D. B. & Riska-Williams, L. (2007). *Allen Cognitive Level Screen-5 (ACLS-5)/Large Allen Cognitive Level Screen-5 (LACLS-5)*. Camarillo, CA: ACLS and LACLS Committee.

Allen, C. K., Blue, T., & Earhart, C. (1995). *Understanding Cognitive Performance Modes*. Ormond Beach, FL: Allen Conferences Inc.

Andersen, C., Kolmos, A., Anderson, K., Sippel, V. & Stenager (2017). Applying sensory modulation to mental health inpatient care to reduce seclusion and restraint: a case control study. *Nordic Journal of Psychiatry*, 71 (7), 525-528.

**Andersson, H., Sutton, D., Bejerholm, U. & Argentzell, E. (2020). Experiences of sensory input in daily occupations for people with serious mental illness. *Scandinavian Journal of Occupational Therapy*, DOI: 10.1080/11038128.2020.1778784 Retrieved 3/10/2021**

Baillon, S., van Diepen, E., Prettyman, R. (2002). Multi-sensory therapy in psychiatric care. *Advances in Psychiatric Treatment*, (8), 444-452.

Blaine, B., Leon, A., Jenkins, M., Mathias, S. (2019). Health provider and service-user experiences of sensory modulation rooms in an acute inpatient psychiatry setting. *PLOS One*, 14(3), Article e0225238. <https://pubmed.ncbi.nlm.nih.gov/31751373/>  
Retrieved 3/10/2021

Bailliard, A.L. & Whigham, S.C. (Sep/Oct 2017). Linking neuroscience, function, and intervention: A scoping review of sensory processing and mental illness. *American Journal of Occupational Therapy*, 71 (5), DOI: [10.5014/ajot.2017.024497](https://doi.org/10.5014/ajot.2017.024497)

**Barbic, S.P., Chan, N., Rangi, A., Bradley, J., Pattison, R., Brockmeyer, K., Leznoff, S., Smolski, Y., Toor, G., Bray, B., Leon, A., Jenkins, M. & Mathias, S. (2019). Health provider and service-user experiences of sensory modulation rooms in an acute inpatient psychiatry setting, *PLOS One*, 14(11), 1-15. Retrieved 3/10/2021**

Barton, S., Johnson, M. & Price, L. (2009) Achieving Restraint-Free on an Inpatient Behavioral Health Unit. *Journal of Psychosocial Nursing and Mental Health Services*, 47(1), 34.

Becklund, A. L., Rapp-McCall, L., & Nudo, J. (2021). Using weighted blankets in an inpatient mental health hospital to decrease anxiety. *Journal of integrative medicine*, 19(2), 129–134.  
<https://doi.org/10.1016/j.joim.2020.11.004>

Bialer, D. & Miller, L.J. (2011). *No longer a secret: Unique common sense strategies for children with sensory and motor challenges*. Arlington, TX: Sensory World

Björkdahl A, Perseius KI, Samuelsson M, Lindberg MH. (2016) Sensory rooms in psychiatric inpatient care: Staff experiences. *International Journal of Mental Health Nursing*. 25 (5), 472-479.

Blackburn, J., McKenna, B., Jackson, B. et al (2016). Educating mental health clinicians about sensory modulation to enhance clinical practice in a youth acute inpatient mental health facility: A feasibility study. *Issues in Mental Health Nursing*, 37 (7), 517-515.

Brown, A., Tse, T., & Fortune, T. (2018): Defining sensory modulation: A review of the concept and a contemporary definition for application by occupational therapists, *Scandinavian Journal of Occupational Therapy*, DOI: 10.1080/11038128.2018.1509370  
<https://doi.org/10.1080/11038128.2018.1509370> Retrieved 3/10/2021

Brown C. (2002). What is the best environment for me? a sensory processing perspective. *Occupational Therapy in Mental Health*. 17(3–4):115–125.

Brown, C., & Dunn, W. (2002). *Adolescent/Adult Sensory Profile: User 's manual*. San Antonio: Therapy Skill Builders

Brown, C., & Nicholson, R. (2011). Sensory skills. In C. Brown & V.C. Stoffel (Eds.) *Occupational Therapy in Mental Health: A vision for participation*. Philadelphia, PA: FA Davis

Brown C, Tollefson N, Dunn W, et al. (2001). The adult sensory profile: measuring patterns of sensory processing. *American Journal of Occupational Therapy*, 55, 75–82.

Brown, S., Shankar, R. & Smith, K. (2009). Borderline personality disorder and sensory processing impairment. *Progress in Neurology and Psychiatry*, 13 (4), 10-16.

Caldwell, B. (2007). *Innovative trauma focused interventions*. (Conference) Eighth Annual Worcester Institute on Loss and Trauma. Worcester: MA

Chalmers, A., Harrison, S., Mollison, K/, Molloy, N., & Gray. K. (January). Establishing sensory-based approaches in mental health inpatient care: a multidisciplinary approach. *Australasian Psychiatry*, 20, 35-39. [https://www.rompa.com/media/free-resources/establishing\\_sensory-based\\_approaches\\_in\\_mental\\_health.pdf](https://www.rompa.com/media/free-resources/establishing_sensory-based_approaches_in_mental_health.pdf) Retrieved 8/22/2015.

Champagne T. (2011). The influence of posttraumatic stress disorder, depression, and sensory processing patterns on occupational engagement: a case study. *Work*, 38, 67–75.

Champagne, T. (2010a). *Sensory modulation & the environment: Essential elements of occupation*. (3<sup>rd</sup> ed.) Australia: Pearson Assessment.

**Champagne, T. (2010b). Occupational therapy in high-risk and special situations. In Scheinholtz, ed. *Occupational Therapy in Mental Health*. Bethesda, MD: AOTA Press, 179-197.**

Champagne, T. (2007). Physical environment. In, Massachusetts Department of Mental Health (Eds.), *Developing positive cultures of care: Resource guide*. Boston, MA: Massachusetts Department of Mental Health.

Champagne, T. (2006). Creating sensory rooms: Environmental enhancements for acute mental health settings. *Mental Health Special Interest Section Quarterly*, 29 (4), 1-4.

Champagne, T. (2005, March). Expanding the role of sensory approaches for acute inpatient psychiatry. *Mental Health Special Interest Section Quarterly*.

Champagne, T. (2003). Creating nurturing environments and a culture of care. *Advance for Occupational Therapy*, 19(19), 1-4.

Champagne, T. & Koomar, J. (2012). Evaluating sensory processing in mental health occupational therapy practice. *OT Practice*, CE 1- CE8.

Champagne, T., Koomar, J., & Olsen, L. (2010). Sensory processing evaluation and intervention in mental health. *OT Practice*, 15(5), CE-1–CE-8

Champagne, T. & Frederick, D. (2011, June). Sensory processing research advances in mental health: Implications for occupational therapy. *OT Practice*, 7-12.

Champagne, T., Mullen, B., Dickson, D. & Krishnamurty, S. (2015). Evaluating the safety and effectiveness of the weighted blanket with adults during an inpatient mental health hospitalization. *Occupational Therapy in Mental Health*, 31 (3), 211-233, DOI: 10.1080/0164212X.2015.1066220

Champagne, T. & Sayer (2003). *The effects of a sensory room in psychiatry*.  
[https://www.ot-innovations.com/wp-content/uploads/2014/09/qi\\_study\\_sensory\\_room.pdf](https://www.ot-innovations.com/wp-content/uploads/2014/09/qi_study_sensory_room.pdf)  
retrieved 4/27/2021

Champagne, T. & Stromberg, N. (2004). Sensory approaches in inpatient psychiatric settings: Innovative alternatives to seclusion and restraint. *Journal of Psychosocial Nursing*, 42, 34-44.

Champagne, T. & Tewfik, D. (2010). Trauma, mental health care and occupational therapy practice. In M. Scheinholtz (Ed.) *Occupational therapy in mental health: Consideration for advanced practice*, 215-230. Bethesda: American Occupational Therapy Association.

Chillot, R. (March 2013) The power of touch. *Psychology Today*.  
<https://www.psychologytoday.com/us/articles/201303/the-power-touch> retrieved 4/13/2021

Cook, J.A., Copeland, M.E., Corey, L., Buffington, E., Jonikas, J.A., Curtis, L.C., et al (2010). Developing evidence based for peer-led services: Changes among participants following wellness recovery action planning (WRAP) education in two statewide initiatives. *Psychiatric Rehabilitation Journal*, 34 (2), 113-120.

Cook, J.A., Copeland, M.E., Hamilton, M.M., Jonikas, J.A., Razzano, L.A., Floyd, C.B., et al (2009). Initial outcomes of a mental illness self-management program based on wellness recovery action planning. *Psychiatric Services*, 60 (2), 246-249.

Copeland, M.E. (2015). *Wellness Recovery Action Plan*. West Dummerston, VT: Peach Press.

Copeland, M.E. (2001). Wellness recovery action plan: A system for monitoring, reducing and eliminating uncomfortable or dangerous physical symptoms and emotional feelings. *Occupational Therapy in Mental Health*, 17(3-4), 127-150.

Costa, D.M., Morra, J., Soloman, D., Sabino, M., & Call, K. (2006). Sensory-based treatment for adults with psychiatric disorders, *OT Practice*, 6 (3), 19-23.

Craig, A.D. (2014). *How do you feel? An interoceptive moment with your neurobiological self*. Princeton, NJ: Princeton University Press.

Craig, A.D. (2002). How do you feel? Interoception: the sense of physiological condition of the body. *Nature Reviews Neuroscience*, 3 (8), 655-666.

Cummings, J.S., Grandfield, S.A. & Coldwell, C.M. (2010). Caring with comfort rooms: Reducing seclusion and restraint use in psychiatric facilities. *Journal of Psychosocial Nursing and Mental Health Services*, 48(6), 26-30.

Dana, D.A. (2020). *Polyvagal exercises for safety and connection*. New York, NY. Norton Company

D’Orio, B.M., Purselle, D., Stevens, D., & Garlow, S.J. (2004). Reduction of episodes of seclusion and restraint in a psychiatric emergency service. *Psychiatric Services*, 55, 581-583.

Dorman, C., Lehsten, L., Woodwin, M. Cohen, R., Schweitzer, Tona, J. (2009). Using sensory tools for teens with behavioral and emotional problems. *OT Practice*, 11 (23), 16-21.

**Dorn, E., Hitch, D., & Stevenson, C., (2020). An evaluation of a sensory room within an adult mental rehabilitation unit. *Occupational Therapy in Mental Health*, 36 (2), 105-118.**

Dunn, W. (2009). *Living sensorially: Understanding your senses*. Philadelphia, PA: Jessica Kingsley Publisher.

Dunn, W. (2001) The sensations of everyday life: empirical, theoretical, and pragmatic considerations. *American Journal of Occupational Therapy*, 55 (6), 608-620.

Dunn, W. (1997). Implementing neuroscience principles to support habilitation and recovery. (chapter 8), in Christiansen, C. & Baum, C. (eds.), *Occupational therapy: Enabling function and well-being*, 182-232. Thorofare, NJ: Slack, Inc.

Ekholm, B., Spulber, S., & Adler, M. (2020). A randomized controlled study of weighted chain blankets for insomnia in psychiatric disorders. *Journal of clinical sleep medicine : JCSM : official publication of the American Academy of Sleep Medicine*, 16(9), 1567–1577. <https://doi.org/10.5664/jcsm.8636>

Engel-Yeger, B., Dunn, W. (2011). Exploring the relationship between affect and sensory processing patterns in adults. *British Journal of Occupational Therapy*, 74, 456-464.

Engel-Yeger, B., Muzio, C., Rinosi, G., Solano, P., Geoffroy, P. A., Pompili, M., ... Serafini, G. (2016). Extreme sensory processing patterns and their relation with clinical conditions among individuals with major affective disorders. *Psychiatry Research*, 236, 112– 118.

Engel-Yeger B, Palgy-Levin D, Lev-Wiesel R. (2015). Predicting fears of intimacy among individuals with post- traumatic stress symptoms by their sensory profile. *British Journal of Occupational Therapy* 78, 51–57.

Eron, K., Kohnert, L., Watters, A., Logan, C., Weisner-Rose, M., & Mehler, P. S. (2020). Weighted Blanket Use: A Systematic Review. *The American journal of occupational therapy : official publication of the American Occupational Therapy Association*, 74(2), 7402205010p1–7402205010p14. <https://doi.org/10.5014/ajot.2020.037358>

Fette, C., Lambdin-Pattavina, C. & Weaver, L. (2019). Understanding and applying trauma-informed approaches across occupational therapy settings. AOTA Continuing Education Article. Article code CEA0519: CE-1-CE-9. Retrieved 4/9/2021  
<https://www.aota.org/-/media/Corporate/Files/Publications/CE-Articles/CE-Article-May-2019-Trauma.pdf>

Field, T., Diego, M., Hernandez-Reif, M., Cisneros, W., Feijo, L., Vera, Y., & Gil, K. (2005). Lavender fragrance cleansing gel effects on relaxation. *International Journal of Neuroscience*, 115, 207-222.

Fraser, K., Mackenzie, D. & Versnel, J. (2017). Complex trauma in children and youth: A scoping review of sensory-based interventions. *Occupational Therapy in Mental Health*, 33 (3), 199-216.

Frick, S.M. (2002) *Listening with the whole body*. Professional Development Press.

**Fustos, J., Gramann, K., Hebert, B. M., & Pollatos, O. (2013). On the embodiment of emotion regulation: Interoceptive awareness facilitates reappraisal. *Social Cognitive and Affective Neuroscience*, 8 (8): 911-917.**

Gardner, J. (2016). Sensory modulation treatment on a psychiatric inpatient unit: Results of a pilot program. *Journal of Psychosocial Nursing Mental Health Services*. April; 54 (4), 44-51.

Gardner, J., Dong-Olson, V., Castronovo, A., Hess, M., & Lawless, K. (2012) Using wellness recovery action plan and sensory-based intervention: A case example. *Occupational Therapy in Healthcare*, 26 (2-3), 163-173.

Fette, C., Lambdin-Pattavina, C. & Weaver, L. (2019). Understanding and applying trauma-informed approaches across occupational therapy settings. AOTA Continuing Education Article. Article code CEA0519: CE-1-CE-9. Retrieved 4/9/2021  
<https://www.aota.org/-/media/Corporate/Files/Publications/CE-Articles/CE-Article-May-2019-Trauma.pdf>.

Hall, L., & Case-Smith, J. (2007). The effect of sound-based intervention on children with sensory processing disorders and visual-motor delays. *American Journal of Occupational Therapy*, 61, 209–215.

Hansch, B. (1995). *Evaluation and treatment of sensory processing disorders*. Seminar. Howell, MN: Sensory Consortium.

Harrison, L. A., Kats, A., Williams, M. E., & Aziz-Zadeh, L. (2019). The importance of sensory processing in mental health: A proposed addition to the research domain criteria (RDoC) and suggestions for RDoC 2.0. *Frontiers in psychology*, 10, 103. <https://doi.org/10.3389/fpsyg.2019.00103>

Held, R. & Hein, A. (1963). Movement-produced stimulation in the development of visually guided behavior. *Journal of Comparative and Physiological Psychology*, 56, 872-876.

Henry, A., Moore, K., Quinlivan, M. & Triggs, M. (1998). The relationship of the Allen Cognitive Level test to demographics, diagnosis and disposition among psychiatric patients. *American Journal of Occupational Therapy*, 52, 638-643.

Herman, J. (1997). *Trauma and recovery: The aftermath of violence from domestic abuse to political terror* (2<sup>nd</sup> ed.) New York: Basic Books

**Hitch, D., Wilson, C., & Hillman, A. (2020). Sensory modulation in mental health practice. *Mental Health Practice*, 23, 3, 10-16.**

Holland, C.M., Teasdale, A., May-Benson, T. (2015). Discriminant validity of the Adult/Adolescent Sensory History (ASH). *American Journal of Occupational Therapy*, 69.

Hollands, T., Sutton, D., Wright-St Clair, V., et al (2015) Maori mental health consumer's sensory experience of Kapa Haka and its utility to occupational therapy practice. *New Zealand Journal of Occupational Therapy*. 62 (1), 3-11.

Huckshorn, K.A. (2008). Six core strategies to reduce seclusion and restraint use. Alexandria, VA : NASMHPD Publications. Online Publication  
<https://www.nasmhpd.org/sites/default/files/Consolidated%20Six%20Core%20Strategies%20Document.pdf> Retrieved 6/10/2021

Huckshorn, K.A. (2006). Re-designing state mental health policy to prevent the use of seclusion and restraint. *Administration and Policy in Mental Health and Mental Health Services Research*, 33 (4), 482-491.

Huckshorn, K. (2004a). Reducing seclusion and restraint use in mental health settings: Core strategies for prevention. *Journal of Psychosocial Nursing and Mental Health Services*, 42 (9), 22-33.

Huckshorn, K.A. (2004b). Seclusion and restraint: Where have we been? Where are we now? Where are we going? *Journal of Psychosocial Nursing & Mental Health Services*, 42, 6-7.

Jerome, E. M., & Liss, M. (2005). Relationships between sensory processing style, adult attachment, and coping. *Personality and Individual Differences*, 38, 1341–1352.

Jonikas, J.A., Cook, J.A., Rosen, C., Laris, A. & Kim, J.-B. (2004) Brief reports: A program to reduce use of physical restraint in psychiatric inpatient facilities. *Psychiatric Services*, 55, 818-820.

Kaiser, E.M., Gillette, C. & Spinazzola, J., (2010). A controlled pilot-outcome study of sensory integration (SI) in the treatment of complex adaptation to traumatic stress. *Journal of Aggression, Maltreatment and Trauma*, 19(7), 699-720.

Kinnealey, M. & Fuiiek, M. (1999). The relationship between sensory defensiveness, anxiety, depression and perception of pain in adults. *Occupational Therapy International*, 6 (3), 195-206.

Kinnealey, M., Koenig, PK.P., Smith, S. (2011). Relationships between sensory modulation and social supports and health-related quality of life. *American Journal of Occupational Therapy*, 65 (30), 320-327.

Kinnealey, M., Oliver, B., & Wilbarger, P. (1995). A phenomenological study of sensory defensiveness in adults. *American Journal of Occupational Therapy*, 49, 444-451.

Knight, M., Adkison, L. & Kovach, J. (2010). A comparison of multisensory and traditional interventions on inpatient psychiatry and geriatric neuropsychiatry units. *Journal of Psychosocial Nursing and Mental Health Services*, 48 (1), 24.

Kraus, M., Huang, C., Keltner, D. (2010). Tactile communication, cooperation and performance: an ethological study of the NBA. *Emotion*, 10 (5), 745-749.

Lebel, J. (2007). Regulatory, clinical and educational approaches to eliminating restraint and seclusion. *BMC Psychiatry*, 7, S133. <https://doi.org/10.1186/1471-244X-7-S1-S133>

LeBel, J., Huckshorn, K.A., & Caldwell, B. (2014). Preventing seclusion and restraint in residential programs. In G.M. Blau, B. Caldwell, & R.E. Lieberman (Eds.) *Residential intervention for children, adolescents and families: A best practice guide* (110-125). New York, NY: Routledge.

LeBel, J., Champagne, T., Stromberg, N. & Coyle, R. (2010). Integrating sensory and trauma-informed interventions: A Massachusetts state initiative, part 1. *Mental Health Special Interest Section Quarterly*, 33(1), 1-4.

LeBel, J., & Champagne, T. (2010). Integrating sensory and trauma informed interventions: A Massachusetts state initiative, part 2. *Mental Health Special Interest Quarterly*, 33(2), 1-4.

LeBel, J. & Goldstein, R. (2005). The economic cost of using restraint and seclusion and the value added by restraint reduction or elimination. *Psychiatric Services*, 56 (9), 1109- 1114.

LeBel, J., Stromberg, N., Duckworth, K., Kerzner, J., Goldstein, R., Weeks, M., Harper, G., LaFlair, L., Sudders, M. (2004). Child and adolescent inpatient restraint reduction: A state initiative to promote strength based care. *Journal of American Academy of Child and Adolescent Psychiatry*, 43 (1), 37.

**Lee, S.J., Cox, A., Whitecross, F., Williams, P., & Hollander, Y. (2010). Sensory assessment and therapy to reduce restraint and seclusion use with service users needing psychiatric intensive care. *Journal of Psychiatric Intensive Care*, 6 (2), 83-90.**

Levine, I., O'Connor, H., & Stacey, B. (1977). Sensory integration with chronic schizophrenics: A pilot study. *Canadian Journal of Occupational Therapy*, 44, 17-21.

Levine, P.A. (2008) *Healing Trauma: A pioneering program for restoring the wisdom of your body*. Louisville, CO: Sounds True Publishing

Lindberg MH, Samuelsson M, Perseius KI, Björkdahl A. (2019) The experiences of patients in using sensory rooms in psychiatric inpatient care. *International Journal of Mental Health Nursing*. 28 (4), 930-939.

Lindley, F. & McDaniel, M. (2005). Using a sensory room as an adjunct therapeutic modality in an adolescent residential treatment center: An outcome study. Paper presented at the National Association of Therapeutic Schools and Programs 2005 Annual Conference. Retrieved 6/9/2016 from [aacrc-dc.org/sites/default/files/Using%20a%20Sensory%20Room.doc](http://aacrc-dc.org/sites/default/files/Using%20a%20Sensory%20Room.doc)

Linehan, M. (1993). *Skills training for treating borderline personality disorder*. New York: Guilford Press.

Lipskaya-Velikovsky, L., Krupa, T., Silvan-Kosovich, I., Kotler, M. (2020). Occupation-focused intervention for in-patient mental health settings: Pilot study of effectiveness. *Journal of Psychiatric Research*, 125, 45-51.

Lipskaya-Velikovsky L, Bar-Shalita T, Bart O. (2015) Sensory modulation and daily-life participation in people with schizophrenia. *Comparative Psychiatry*, 58, 130-7.

**Lloyd, C, King, R., & Machingura, T. (2014). An investigation into the effectiveness of sensory modulation in reducing seclusion within an acute mental health unit. *Advances in Mental Health*, 12, 93-100.**

MacDaniel, M., Van Bramer, J. & Hogan, M.F. (2009). *Comfort Rooms: A preventable tool to reduce the use of restraint and seclusion in facilities that serve individuals with mental illness*. New York, NY: New York State Office of Mental Health.

Machingura, T., & Lloyd, C. (2017). A reflection on success factors in implementing sensory modulation in an acute mental health setting. *International Journal of Therapy and Rehabilitation*, 24 (1), 35-39.

Macy, R. (2007). *Innovative trauma focused interventions*. (Conference) Eighth Annual Worcester Institute on Loss and Trauma. Worcester: MA

Maguire, T., Young, R., & Martin, T. (2012). Seclusion reduction in a forensic mental health setting. *Journal of Psychiatric and Mental Health Nursing*, 19, 97-106.

Mahler, K. (2016). *Interoception: The eighth sensory system*. Lenexa, KS: AAPC Publishing.

Martin, B. & Suane, S. (2012). Effect of training on sensory room and cart usage. *Occupational Therapy in Mental Health*, 28:2. 118-128.

May-Benson, T. A. (2015a). *Adult/Adolescent Sensory History – User's Manual*. Nexton, MA: The Spiral Foundation.



May-Benson, T.A. (2015b). Concurrent validity of the Adult/Adolescent Sensory History (ASH). *American Journal of Occupational Therapy*, 69.

McCaffrey, T., Edwards, J. & Fannon, D., (2011). Is there a role for music therapy in the recovery approach to mental health? *The Arts in Psychotherapy*, 38 (3), 185-189.

May-Benson, T.A. (2015). Concurrent validity of the Adult/Adolescent Sensory History (ASH). *American Journal of Occupational Therapy*, 69.

May-Benson, T. (2011). Understanding the occupational therapy needs of adults with sensory processing disorder. *OT Practice*, 16(10). 13-18.

May-Benson, T. A. (2009). An Intensive Integrated Sensory Integration- Based Occupational Therapy Intervention Program for Adults with Sensory Processing Disorder. *OT Practice* 14 (10), 16-19.

May-Benson, T. & Champagne, T. (2011). *Occupational Therapy Using a Sensory Integration-Based Approach with Adult Populations*. Bethesda, MD: The American Occupational Therapy Association.

May-Benson, T. & Kinnealey, M. (2012). An approach to assessment of and intervention for adults with sensory processing disorder. *OT Practice*, 17 (7), CE-1 – CE-8.

May-Benson, T.A., Teasdale, A., Amin-Arsala, T., Dunwell, C., Smith-Howe, A., Valliere, E., Weber, B. (2016). Performance of typical adults on the Adult/Adolescent Sensory History. *American Journal of Occupational Therapy*, 70.

McCarter, J. (2010). Growing up with sensory processing challenges. *Sensory Integration Special Interest Section Quarterly*, 33 (3), 1-2.

**McGreevy, S. & Boland, P. (2020). Sensory-based interventions with adult and adolescent trauma survivors: An integrative review of the occupational therapy literature. *Irish Journal of Occupational Therapy*, 48 (10) 31-54.**

Miller, L.J. (2014). *Sensational kids; hope and help for children with sensory processing disorder*. New York, NY: Penguin Group

Miller, L.J., Coll, J.R. & Schoen, S.A. (2007). A randomized controlled pilot study of the effectiveness of occupational therapy for children with sensory modulation disorder. *American Journal of Occupational Therapy*, 61, 228-238.

Miller, L. J., Reisman, J. E., McIntosh, D.N., Simon, J. (2001). An ecological model of sensory modulation. In S. Smith Roley, E. I. Blanche, & R. C. Schaaf (Eds.). *Understanding the nature of sensory integration with diverse populations*. U.S.A.: Therapy Skill Builders.

Mollica, R. (2008). *Healing invisible wounds: Paths to hope and recovery in a violent world*. Nashville, TN: Vanderbilt University Press.

Moore, K. (2016). Following the evidence: Sensory approaches in mental health, a literature review [http://www.sensoryconnectionprogram.com/sensory\\_treatment.php](http://www.sensoryconnectionprogram.com/sensory_treatment.php) retrieved 1/21/2017.

Moore, K. (2015). *The sensory connection program: Curriculum for self-regulation: group treatment for emotional regulation, crisis intervention & stress management*. Framingham, MA: Therapro, Inc.

Moore, K. (2008). *The sensory connection program self-regulation workbook: Learning to use sensory activities to manage stress, anxiety and emotional crisis*. Framingham, MA: Therapro, Inc.

Moore, K. (2005) *The sensory connection program: Activities for mental health treatment*. Manual and Handbook. Framingham, MA: Therapro, Inc.

**Moore, K. & Henry, A. (2002). Treatment of adult psychiatric patients using the Wilbarger Protocol. *Occupational Therapy in Mental Health, 18 (1), 43-63.***

Mullen, B., Champagne, T. Krishnamurty, S., Dickson, D. & Gao, R. (2008). Exploring the safety and therapeutic effects of deep pressure stimulation using a weighted blanket. *Occupational Therapy in Mental Health, 24, 65-89.*

**Muskett, C. (2014). Trauma-informed care in in-patient mental health settings: A review of the literature. *International Journal of Mental Health Nursing, 23 (1): 51-59.***

Novak, T., Scanlan, J., McCaul, D., MacDonald, N., & Clarke, T. (2012). Pilot study of a sensory room in acute inpatient psychiatric care. *Australasian Psychiatry, 20 (5), 401-406.*

Oetter, P., Richter, E., & Frick, S. (2019). *MORE: Integrating the mouth with sensory and postural functions*. Framingham, MA: Therapro

Ogden, P., Minton, K., & Pain, C. (2006). *Trauma and the body: A sensorimotor approach to psychotherapy*. New York: W. W. Norton.

O'Hagen, M., Divis, M., & Long, J. (2008). *Best practice in the reduction and elimination of seclusion and restraint; Seclusion: time for change*. Auckland: Te Pou Te Whakaaro Nui: The National Center of Mental Health Research, Information and Workforce Development.

Oliver, B. F. (September). The social and emotional issues of adults with sensory defensiveness. *Sensory Integration Special Interest Section Quarterly, 13 (3), 1-3.*

**Ostrove, B. & Hartman, R. (2013). Sound minds: Establishing a sensory modulation education group at a mental health hospital. *OT Practice, 18(18), 14-18.***

Pollard, D. (2005). *A cognitive link: Managing problematic bodily behavior*. Monona, WI: SELECTOne Rehab.

Payne, P., Levine, P.A. & Crane-Godreau, M.A. (2015). Somatic experiencing: Using interoception and proprioception as core elements of trauma therapy. *Frontiers in Psychology, 6: 93* published online <https://doi.org/10.3389/fpsyg.2015.00093> retrieved 4/10/2021.

Pfeiffer, B. (2002). The impact of dysfunction in sensory integration on occupations in childhood through adulthood: A case study. *Sensory Integration Special Interest Section Quarterly*, 25 (1), 1-2.

Pfeiffer, B., Brusilovskiy, E., Bauer, J., & Salzer, M. (2014). Sensory processing, participation, and recovery in adults with serious mental illness. *Psychiatric Rehabilitation Journal*. 37 (4), 289-296.

**Pfeiffer, B. & Kinnealey, M. (2003). Treatment of sensory defensiveness in adults. *Occupational Therapy International*, 10 (3), 175-184.**

Pipskaya-Velikovsky, L., Bar-Shalita, T. & Bart, O. (2015). Sensory modulation and daily-life participation in people with schizophrenia. *Comprehensive Psychiatry*, 58, 130-137.

Pollard, D. & Warpechowski, D. (2005). *Allen's cognitive levels: Meeting the challenges of client focused services*. Monona, WI: SELECTOne Rehab.

Porges, S. (2011). *The polyvagal theory: Neurophysiological foundations of emotions, attachment, communication, and self-regulation*. New York, NY: Norton, W.W. & Company

Porges S. (2009). Reciprocal influences between body and brain in the perception and expression of affect: A polyvagal perspective. In D Fosha, D Siegel, and M Solomon, eds. *The healing power of emotion: Affective neuroscience, development, and clinical practice*, 27-54. New York: Norton.

Porges SW. (2008). Music therapy and trauma: Insights from the polyvagal theory. In K Stewart, ed. *Symposium on Music Therapy & Trauma: Bridging Theory and Clinical Practice*. New York: Satchnote Press.

Porges, S. (2007). The polyvagal perspective. *Biological Psychology*, 74, 116-143.

Porges S. (2004). Neuroception: A subconscious system for detecting threat and safety. *Zero to Three: Bulletin of the National Center for Clinical Infant Programs*, 24 (5), 9-24.

Porges, S.W. (1995). Cardiac vagal tone: A physiological index of stress. *Neuroscience and Biobehavioral Reviews*, 19, 225-233.

Porges, S. W. & Carter, C.S. (2017). Polyvagal theory and the social engagement system: Neurophysiological bridge between connectedness and breath. In P.L. Gerbarg, P.R. Muskin, R. P. Brown (Eds.) *Complementary and integrative treatments in psychiatric practice*. 291-210. Arlington, VA: American Psychiatric Association Publishing.

Porges, S.W. & Dana, D. (2018). *Clinical applications of the Polyvagal Theory: The emergence of polyvagal-informed therapies*. New York, NY: W.W. Norton & Company

Reddon, J.R., Hoang, T., Sehga, I.S., & Marjanovic, Z. (2004). Immediate effects of Snoezelen treatment on adult psychiatric patients and community controls. *Current Psychology: Developmental-Learning-Personality-Social*, 23 (3), 225-237.

Reisman, J.E. & Blakeney, A.B. (1991). Exploring sensory integrative treatment in chronic schizophrenia. *Occupational Therapy in Mental Health*, 11, 25-43.

Reisman, J. & Feeney, R. (1990, March). It doesn't have to hurt: Treating sensory integrative dysfunction in an occupational therapy student. *Sensory Integration Special Interest Section Quarterly*, 13 (3), 1-3.

Reisman, J. & Gross, A. (1992). Psychophysiological measurements of treatment effects in an adult with sensory defensiveness. *Canada Journal of Occupational Therapy*, 59, (5), 248-257.

Reisman, J. & Hanschu, B. (1990). *Sensory integration inventory-revised for adults with developmental disabilities: Users guide*. Hugo MN: PDP Products.

Robert, G., Morrow, E., Maben, J., Griffiths, p., & Callard, L. (2011). The adoption, local implementation and assimilation into routine nursing practice of a national quality improvement programme: the Productive Ward in England. *Journal of Clinical Nursing*, 207(7-8), 1196-1207.

Ryan, R., & Happell, B. (2009). Learning from experience: Using action research to discover consumer needs in post seclusion debriefing. *International Journal of Mental Health Nursing*, 18, 100-107.

Romanowski, B. (2007) Benefits and limitations of music therapy with psychiatric patients in the penitentiary system. *Music Therapy Today*, 8, (3), 462-475.

Scanlan, J. N. (2010). Interventions to reduce the use of seclusion and restraint in inpatient psychiatric settings: What we know so far. A review of the literature. *International Journal of Social Psychiatry*, 56, 412-423.

**Scanlan, J.N. & Novak, T. (2015). Sensory approaches in mental health: A scoping review. *Australian Occupational Therapy Journal*, 62(5), 277-285.**

Seckman A, Paun O, Heipp B, Van Stee M, Keels-Lowe V, Beel F, Spoon C, Fogg L, Delaney KR. (2017). Evaluation of the use of a sensory room on an adolescent inpatient unit and its impact on restraint and seclusion prevention. *Journal of Child and Adolescent Psychiatric Nursing*. 30(2), 90-97.

Shergill, S., Samson, G., Bays, P.M., Frith, C.D., & Wolpert, D. (2005). Evidence for Sensory Prediction Deficits in Schizophrenia. *American Journal of Psychiatry*, 162, 2384-2386.

Sivak, K. (2012) Implementation of comfort rooms to reduce seclusion, restraint use and acting-out behaviors. *Journal of Psychosocial Nursing*, 50 (2), 24-34.

Smith, S. & Jones, J. (2014). Use of a sensory room on an intensive care unit. *Journal of Psychosocial Nursing in Mental Health Services*, 52(5), 22-30.  
<http://dx.doi.org/10.1176/appi.ps.56.9.1115>

Smith, G.M., Davis R.H., Bixler, E.O., Lin, H., Altenor, A., Altenor, R.J., Hardentstine, B.D., & Kopchick, G.A. (2005). *Special section on seclusion and restraint: Pennsylvania state hospital system's seclusion and restraint reduction program*. Published online <http://dx.doi.org/10.1176/appi.ps.56.9.1115> Retrieved 8/18/20016.

**Snedden, D. (2012). Trauma-informed practice: An emerging role of occupational therapy. *Occupational Therapy Now*, 14 (6), 26-28.**

Substance Abuse and Mental Health Services Administration (2010). Promoting alternatives to the use of seclusion and restraint issue brief #1: A national strategy to prevent seclusion and restraint in Behavioral Health Services. Rockville, MD: Substance Abuse and Mental Health Services Administration. Published online [https://www.samhsa.gov/sites/default/files/topics/trauma\\_and\\_violence/seclusion-restraints-1.pdf](https://www.samhsa.gov/sites/default/files/topics/trauma_and_violence/seclusion-restraints-1.pdf) Retrieved 6/10/2021

Sullivan, A.M., Bezmen, J., Barron, C.T., Rivers, J., Curley-Casey, L. and Marino, D. (2005). Reducing restraints: Utilizing safe and effective methods to evaluate and treat the violent patient. *Psychiatric Quarterly*, 76: 51-65.

**Sutton, D., & Nicholson, E. (2011). Sensory modulation in acute mental health wards: A qualitative study of staff and service user perspectives. Auckland, New Zealand: Te Pou o Te Whakaaro Nui.** <http://aut.researchgateway.ac.nz/bitstream/handle/10292/4312/Sutton%20sensory%20modulation%20in%20acute%20mental%20health%20wards.pdf?sequence=6> retrieved 5/11/2016

Sutton, D., Wilson, M., Van Kessel, K., & Vanderpyl, J. (2013). Optimizing arousal to manage aggression: A pilot study of sensory modulation. *International Journal of Mental Health Nursing*, 22, 500-511.

Tanner, B. (2012). Validity of global physical and emotional SUSQ. *Applied Psychophysical Biofeedback* 37 (1), 31-4. <http://link.springer.com/article/10.1007/s10484-011-9174-x#page-2> retrieved 4/16/2015.

Te Pou o te Whakaaro Nui (2011). Sensory modulation in mental health clinical settings. A review of the literature. Auckland. Te Pou o te Whakararo Nui. <http://www.tepou.co.nz/uploads/files/resource-assets/Sensory-Modulation-in-Mental-Health-Clinical-Settings-A-Review-of-the-Literature.pdf> Retrieved 5/11/2016.

Te Pou o te Whakaaro Nui (2011). Sensory modulation in inpatient mental health: A summary of the evidence. Auckland. Te Pou o te Whakararo Nui.

Te Pou o te Whakaaro Nui (2010). Impact of sensory modulation in mental health acute wards on reducing the use of seclusion and restraint. Auckland: Te Pou o te Whakararo Nui.

Van der Kolk, B. (2006). Clinical Implications of Neuroscience Research in PTSD. *Annals of New York Academy of Sciences* 1071:277-93. doi: 10.1196/annals.1364.022. PMID: 16891578.

Van Hulle, C.A., Lemery-Chalfant, K. & Goldsmith, H.H. (2007). Genetic and environmental influences on socio-emotional behavior in toddlers: An initial twin study of infant/toddler social emotional assessment. *Journal of Child Psychology and Psychiatry*, 48, 1014-1024.

Wallis K, Sutton D, Basset S. (2017). Sensory modulation for people with anxiety in a community mental health setting. *Occupational Therapy in Mental Health*, 34, 122–137.

**Warner, E., Cook, A., Westcott, A., & Koomar, J. (2011). Sensory motor arousal regulation treatment (SMART). A manual for therapies for working with children and adolescents: A “bottom up” approach to treatment of complex trauma. Boston: Trauma Center at JRI.**

Warner, E., Koomar, J., Lary, B. & Cook, A. (2013). Can the body change the score? Application of sensory modulation principles in the treatment of traumatized adolescent in residential settings. *Journal of Family Violence*, 28 (7), 729-738.

Weeks, S., Boshoff, K., & Stewart, H. (2012). Systemic review of the effectiveness of the Wilbarger protocol with children. *Pediatric Health, Medicine and Therapeutics*, 3: 79-89

West, M., Melvin, G., McNamara, F., & Gordon, M. (2017). An evaluation of the use and efficacy of a sensory room within an adolescent psychiatric inpatient unit. *Australian Occupational Therapy Journal*, 64 (3), 253–263.

Wiglesworth S, Farnworth L. (2016). An exploration of the use of a sensory room in a forensic mental health setting: Staff and patient perspectives. *Occupational Therapy International*. 23 (3), 255-264.

**Williamson, P. and Ennals, P. (2020). Making sense of it together: Youth and families co-create sensory modulation assessment and intervention in community mental health setting to optimize daily life. *Australian Occupational Therapy Journal*, 67: 458-469.**

Wolpe, J. (1969). *The practice of behavior therapy*, New York: Pergamon Press (SUDS Scale)