

References

The following references have been compiled over years of research, clinical work, and workshop presentations. Many of these references are used in articles on the website, www.sensoryconnectionprogram.com

Aldridge, D. & Brandt, G. (1991) Music therapy and Alzheimer's Disease. *British Journal Music Therapy* . (5) 28-36.

Allen, C. (1996). *Allen Cognitive Screen: Test manual*. Colchester, CT: S & S Worldwide.

Allen, C., Blue, T. & Earhart, C. (1995). *Understanding Cognitive Performance Modes*. Ormond Beach, FL: Allen Conferences Inc.

Ashby, M., Lindsay, W., Pitcaithly, D., Broxholme, S. & Geelen, N. (1995). Snoezelen: its effects on concentration and responsiveness in people with profound multiple handicaps. *British Journal Occupational Therapy* . 58 (7). 303-307.

Ayres, A. (1979). *Sensory integration and the child*. Los Angeles, CA: Western Psychological Services.

Baillon, S., van Diepen, E. & Prettyman, R. (2002). Multi-sensory therapy in psychiatric care. *Advances in Psychiatric Treatment*, (8), 444-452.

Baker, R., Bell, S., Baker, E., Gibson, S., Holloway, J., Pearce, R., Dowling, Z., Thomas, P., Assay, J. & Wareing, L. (2001) A randomized controlled trial of the effects of multisensory stimulation for people with dementia. *The British Journal of Clinical Psychology* . 40(1) 81-96.

Benson, H. (1975). *The relaxation response*. New York: Viking Press.

Bluebird, G. (2004). Redefining consumer roles: Changing culture & practice in mental health care settings. *Journal of Psychosocial Nursing*, 42(9) 46-53.

Bright, T., Bittizh, K. & Fleenan, B. (1981). Reduction of self-injurious behavior using SI techniques. *American Journal of Occupational Therapy*, 35 (3): 167-172.

Brown, C. & Dunn, W. (2002). *Adolescent/ adult sensory profile*. San Antonio, TX.: Psychological Corporation.

Brown C., Cromwell, L., Filion, D., Dunn, W. & Tollefson, N. (2002) *Sensory processing in schizophrenia: missing and avoiding information*. *Schizophrenia Research*, (55) 187-95.

Campbell, D. (1997). *The Mozart effect: Tapping the powers of music to heal the body, strengthen the mind, and unlock the creative spirit*. New York, NY: Avon Books.

Champagne, T. (2003). Creating nurturing and healing environments for a culture of care. *Occupational Therapy Advance* . (19), 50.

Champagne, T. (2005, March). Expanding the role of sensory approaches for acute inpatient psychiatry. *Mental Health Special Interest Section Quarterly*.

Champagne, T. (2006). *Sensory modulation and the environment: Essential elements of occupation*. Southampton, MA: Champagne Conferences and Consultation.

Champagne, T. & Stromberg, N. (2004). Sensory approaches in inpatient psychiatric settings: Innovative alternatives to seclusion and restraint. *Journal of Psychosocial Nursing*, 42, 34-44.

Charney, D., Deutch, A., Krystal, J., Southwick, S. & Davis, M. (1993). Psychobiologic mechanisms of Posttraumatic Stress Disorder. *Archives of General Psychiatry*, 50, 294-305.

Childs, E. (2004). Commonwealth of Massachusetts Department of Mental Health restraint and seclusion philosophy statement.

Cool, S. (1990). The use of a surgical brush treatment of sensory defensiveness and exploration. *Sensory Integration Special Interest Section Newsletter*, 13 (14): 1-3.

David, S. (1990). A case study of sensory affective disorder in adult psychiatry. *Sensory Integration Special Interest Section Newsletter*, 13(4): 1-4.

Dennison, P. & Dennison, G. (1989). *Brain Gym: Teachers edition*. Ventura, CA: Edu-Kinesthetics, Inc.

Donat, D. (2005). Special section on seclusion and restraint: Encouraging alternatives to seclusion, restraint, and reliance on PRN drugs in a public psychiatric hospital. *Psychiatric Services*, 56, 1109-1114.

Dunn, W. (2001) The sensations of everyday life: empirical, theoretical, and pragmatic considerations. *American Journal of Occupational Therapy*, 55, (6), 608-620.

Dunn, W. (1997). *Implementing neuroscience principles to support habilitation and recovery*. (chapter 8), in Christiansen, C. & Baum, C. (eds.), *Occupational Therapy: Enabling Function and Well-Being*. Slack, Inc., Thorofare, NJ. (p. 182-232).

Field, T., Scafidi, F., & Schanberg, S. (1987). Massage of preterm newborns to improve growth and development. *Pediatric Nursing*, 13, 385-387.

Field, T., Schanberg, S., Scafidi, F., Bauer, C., Vega, L., Gracia, R., Nystrom, J. & Kuhn, C. (1986). Tactile/kinesthetic stimulation effects on preterm neonates. *Pediatrics*, 77, 654-658.

Finnema, E., Droes, R., Ribbe, M. & Van Tilburg, W. (2000). The effects of emotion-oriented approaches in the care for persons suffering from dementia: a review of the literature. *International Journal Geriatric Psychiatry* . 15(2), 141-161.

Fisher, A., Murray, E. & Bundy, A. (1991). *Sensory integration theory and practice*. Philadelphia, PA: F.A. Davis Co.

Freuch, B., Knapp, R., Cusack, K., Grubaugh, A., Sauvageot, J., Cousins, V., Yim, E., Robins, C., Monnier, J. & Hiers, T. (2005) Special section on seclusion and restraint: Patient's report of traumatic or harmful experiences within the psychiatric setting. *Psychiatric Services*, 56, 1123-1133.

Frick, S. (1989). Sensory defensiveness: A case study. *Sensory Integration Special Interest Section Newsletter*, 12(2), 7-8.

Glover, R. (2005). Special section on seclusion and restraint: Commentary: Reducing the use of seclusion and restraint: A NASMHPD priority. *Psychiatric Services*, 56, 1141-1142.

Godfrey, D. (1993). Smell and taste. In H. Cohen (Ed.), *Neuroscience for Rehabilitation* (129-138). Philadelphia, PA: J.P. Lippincott Company.

Gottfried, A. (1984). Touch as an organizer for learning and development. In C.C. Brown (Ed.), *The many facets of touch* (pp.114-122). Skillman, NJ: Johnson and Johnson Baby Products.

Grandin, T. (1992). Calming effects of deep pressure in patients with autistic disorder, college students, and animals. *Journal of child and adolescent psychopharmacology*, 2, 63-72.

Gunderson, J. & Chu, J. (1993). Treatment implications of past trauma in borderline personality disorder. *Harvard Review of Psychiatry*, 1 (2), 75-81.

Hagger, E. & Hutchinson, R. (1991). Snoezelen : an approach to the provision of a leisure resource for people with profound and multiple handicaps. *Mental Handicap*, 19, 51-54.

Hale, L. & Coy, A. (1997). Collaboration and cross-referral in the treatment of sexually reactive youth. *Sensory Integration Special Interest Section Newsletter*, 18 (2), 1-4.

Hanh, T. (1991). *Peace is every step*. New York: Bantam Books.

Hanchu, B. (1998). Using a sensory approach to serve adults who have developmental disabilities. In M. Ross & S. Bachner, (Eds.). *Adults with developmental disabilities: Current approaches in occupational therapy* (pp. 165-211). Bethesda, MD: American Occupational Therapy Association.

Hansch, B. (2000). *Evaluation and treatment of sensory processing disorders from the perspective of the Ready Approach*. Seminar. Newton MA.

Harlow, H. (1959). Love in infant monkeys. *Scientific American*, 200, 68-74.

Harlow, H. (1958). The nature of love. *American Psychologist*, 13, 673.

Held, R. & Hein, A. (1963). Movement-produced stimulation in the development of visually guided behavior. *Journal of Comparative and Physiological Psychology*, 56, 872-876.

Henry, A., Moore, K., Quinlivan, M. & Triggs, M. (1998). The relationship of the Allen Cognitive Level test to demographics, diagnosis and disposition among psychiatric patients. *American Journal of Occupational Therapy*, 52, 638-643.

Henry, D., Wheeler, T. & Sava, D. (2004). *Sensory integration tools for teens: Strategies to promote sensory processing*. Youngtown, AZ: Henry OT Services Inc.

Hirama, H. (1989). *Self-injurious behavior: A somatosensory treatment approach*. Bethesda, MD: Chess Publications.

Hope, K. (1996) Caring for older people with dementia: is there a case for multisensory environments? *Reviews in Clinical Gerontology*, 6, 169-175.

Huckshorn, K. (2004). Reducing seclusion and restraint use in mental health settings: Core strategies for prevention. *Journal of Psychosocial Nursing and Mental Health Services*, 42(9), 22-33.

Hulsege, J. & Verheul, A. (1987) *Snoezelen* . ROMPA: Chesterfield .

Hutchinson, R. (1991). *The Whittington Hall Snoezelen project* . North Derbyshire Health Authority.

Kabat-Zinn, J., (1990). *Full catastrophe living*. New York: Dell Publishing.

Kandel, E., Schwartz, J., & Jessell, T. (1995). *Essentials of Neural Science and Behavior*. Stamford, CT: Appleton & Lange.

- King, L. (1974).** A sensory integration approach to schizophrenia. *American Journal of Occupational Therapy*, 28, 529-536.
- King, L. (1983).** Occupational therapy and neuropsychiatry. *Occupational Therapy in Mental Health*, 3 (1), 1-12.
- King, L. & Grandin, T. (1993).** *Attention deficits in learning disorders and autism.* Seminar. Portland, ME: Division of Innovation & Development, Continuing Education Programs of America
- Kinnealey, M. & Fuiek, M. (1999).** The relationship between sensory defensiveness, anxiety, depression and perception of pain in adults. *Occupational Therapy International*, 6 (3), 195-206.
- LeBel, J. & Goldstein, R. (2005, September).** The economic cost of using restraint and seclusion and the value added by restraint reduction or elimination. *Psychiatric Services*, 56(9): 1109-1114.
- Lemieux, A. & Coe, C. (1995).** Abuse-related Posttraumatic Stress Disorder: evidence for neuroendocrine activation in women. *Psychosomatic Medicine*, 57, 105-115.
- Lemke, H. (1974).** Self-abusive behavior in the mentally retarded. *American Journal of Occupational Therapy*, 28 (2): 94-98.
- Linehan, M. (1993).** *Skills training for treating borderline personality disorder.* New York: Guilford Press.
- Long, A. & Haig, L. (1992).** How do clients benefit from Snoezelen ? An exploratory study. *British Journal Occupational Therapy* . 55 103-106.
- Lundy-Ekman, L. (1998).** *Neuroscience: Fundamentals for rehabilitation.* Philadelphia, PA: W.B. Saunders Company.
- Martin, N., Gaffan, E., Williams, T. (1998)** Behavioral effects of long-term multi-sensory stimulation. *British Journal Clinical Psychology* . 37 69-82.
- Moffat, N., Barker, P., Pinkney, L. (1993).** *Snoezelen : an experience for people with dementia* . ROMPA. Chesterfield .
- Montague, A. (1986).** *Touching: The significance of the skin.* New York, NY: Harper and Row.
- Moore, J., Koomar, J., & Szklut, S. (1995).** *Updates on neuroplasticity and sensory systems: implications of outcomes with sensory integrative treatment.* Seminar. Watertown, MA: Occupational Therapy Associates.

Moore, K (2005) *The sensory connection program: Activities form mental health treatment*. Manual and Handbook. Framingham, MA: Therapro, Inc.

Moore, K. & Henry, A. (2002). Treatment of adult psychiatric patients using the Wilbarger Protocol. *Occupational Therapy in Mental Health*, 18 (1), 43-63.

Morrissey, M. & Biela, C. (1997). Snoezelen. Benefits for nursing older clients. *Nursing Standard*, 12, 38-40.

National Association of State Mental Health Program Directors (NASMHPD) (2000). Reducing the use of seclusion and restraint: findings, strategies, and recommendations. *Emergency Psychiatry*, 6 (1), 7-13.

Norberg, A., Melin, E., Asplund, K. (1986). Reaction to music, touch and object presentation in the final stage of dementia. An exploratory study. *International Journal of Nursing Studies*. .23.315-323.

Oetter, P., Richter, E., & Frick, S. (1995). *MORE: Integrating the mouth with sensory and postural functions* (2nd ed.) Hugo, MN: PDP Press.

Pinkney, L. (1997). A comparison of the Snoezelen environment and a music relaxation group on mood and behaviour of patients with senile dementia. *British Journal Occupational Therapy* . 60(5); 209-212.

Pinkney, L. (1998). Exploring the myth of multisensory environments. *British Journal Occupational Therapy* . 61(8).

Pinkney, L. (2000). Assessment of the multisensory environment. *British Journal of Therapy and Rehabilitation* . 7(4) 158-162.

Reisman, J. & Hanschu, B. (1990). *Sensory integration inventory-revised for adults with developmental disabilities: Users guide*. Hugo MN: PDP Products.

Reisman, J.E. (1993). Using sensory integrative approach to treat self-injurious behavior in adults with profound mental retardation. *American Journal of Occupational Therapy*, 47 (5), 403-411.

Robinson, M. (1990). Going Dutch with sensory stimulation. *Therapy Weekly* . Feb. 1; 4.

ROMPA catalogue, ROMPA: Chesterfield .

Ross, M. (1997). *Intergative group therapy – mobilizing coping abilities with the five-stage group*. Bethesda, MD: American Occupational Therapy Association.

Ross, M. & Bachner, S. (Eds.) (1998). *Adults with developmental disabilities: Current approaches in Occupational Therapy*. Bethesda, MD: American Occupational Therapy Association.

Royeen, C. (1985). Domain specifications of the construct of tactile defensiveness. *American Journal of Occupational Therapy*, 39 (9), 596-599.

Royeen, C. & Lane, S. (1991). Tactile processing and sensory defensiveness. In Fisher, A., Murray, E., & Bundy, A. (Eds). *Sensory integration: theory and practice* (108-137). Philadelphia, PA: F.A. Davis.

Sansone, R., Sansone, L. & Wiederman, M. (1995). The prevalence of trauma and its relationship to borderline personality symptoms and self-destructive behaviors in a primary care setting. *Archives of Family Medicine*, 4 (5), 439-442.

Sapolsky, R. (1998). *Why zebras don't get ulcers: An updated guide to stress, stress-related diseases, and coping*. New York: W. H. Freeman and Company.

Schofield, P. (1996). Snoezelen: its potential for people with chronic pain. *Complementary Therapies in Nursing and Midwifery* . 2. 9-12.

Schofield, P. & Davis, B. (1998). Sensory deprivation and chronic pain: a review of the literature. *Disability and Rehabilitation* . 20(10) 357-366.

Schiffman, S. (1993). Perception of taste and smell in elderly persons. *Critical Reviews in Food Science and Nutrition*, 33 (1): 17-26.

Shalev, A., Orr, S., Peri T., Schreiber, S. & Pitman, P. (1993). Physiologic responses to loud noises in Israeli patients with Post Traumatic Stress Disorder. *Archives of General Psychology*, 49, 970-875.

Shapiro, M., Parush, S., Green, M. & Roth, D. (1997). The efficacy of the Snoezelen in the management of children with mental retardation who exhibit maladaptive behaviours. *The British Journal of Developmental Disabilities* . 43, part2, 85; p. 140-155.

Smith, G., Davis, R., Bixler, E., Lin, H., Altonor, A., Altonor, R., Hardentstine, B. & Kopchick, G. (2005) Special section on seclusion and restraint: Pennsylvania state hospital system's seclusion and restraint reduction program. *Psychiatric Services*, 56, 1115-1122.

Thompson, S. & Martin, S. (1994). Making sense of multisensory rooms for people with learning disabilities. *British Journal Occupational Therapy* . 57 (9). 341-344.

Trott, C., Laurel, M. & Windeck, S. (1993). *SenseAbilities: Understanding sensory integration*. Tuscon, AZ: Therapy Skill Builders.

Tschacher, W. (1995). The dynamics of psychosocial crises. (Research Report, No. 95-1). Bern, Switzerland: University of Bern, Psychiatric Service.

van der Kolk, B. (1994). The body keeps score. *Harvard Review of Psychiatry, 1*, 253-265.

van der Kolk, B., Perry, J. & Herman, J. (1991). Childhood origins of self-destructive behavior. *American Journal of Psychiatry, 148*, 1665-1671.

Walker, D. & McCormack, K. (2002). *The weighted blanket an essential nutrient in a sensory diet.* Everett, MA: Village Therapy.

Wells, M. & Smith, D. (1983). Reduction of self-injurious behavior of mentally retarded persons using sensory-integrative techniques. *American Journal of Mental Deficiency, 87*, 664-666.

Wilbarger, P. (1995). The sensory diet: Activity programs based on sensory processing Theory. *Sensory Integration Special Interest Section Newsletter, 18* (2), 1-4.

Wilbarger, P. & Wilbarger J. (1991). *Sensory defensiveness in children ages 2-12: an intervention guide.* Avanti Educational Programs, Santa Barbara, CA.

Wilbarger P. & Wilbarger, J. (1995). *Sensory defensiveness and related social/emotional and neurological problems.* Seminar. Denver, CO: Avanti Education Programs.

Wilbarger, J. (1998). The emerging concept of sensory modulation disorders. *Sensory Integration Special Interest Section Newsletter, 21* (3).

Wilbarger P. & Wilbarger, J. (2002a). The Wilbarger approach to treating sensory defensiveness. In A. C. Bundy, S. J. Lane, & E. A. Murray (Eds.). *Sensory integration: theory and practice* (2nd ed, pp. 335-338). Philadelphia, PA: F.A. Davis.

Wilbarger P. & Wilbarger, J. (2002b). Clinical application of the sensory diet. In A. Bundy, S. Lane, & E. Murray (Eds.). *Sensory integration: theory and practice* (2nd ed, 339-341). Philadelphia, PA: F.A. Davis.

Williams, M. & Shellenberger, S. (1996). *“How does your engine run?”: A leaders guide to the Alert Program for self regulation.* Albuquerque, NM: Therapy Works, Inc.

Zuckerman, M. (1964) Perpetual isolation as a stress situation. *Archives of General Psychiatry, 11*, 255-276.